

This listing of claims will replace all prior versions, and listings, of claims in the application.

LISTING OF CLAIMS

1–15 (cancelled).

5

16. (Currently amended) A method for operating a network for the interconnection of computers having a server and a client, comprising:

storing at least one datafile ~~datafiles~~ on said server that is ~~are~~ executable in said server and in said client;

10

calling said datafile ~~datafiles~~ by said client by sending a corresponding datafile address to said server;

transmitting said datafile ~~datafiles~~ by said server to said client in response to said calling said datafile ~~datafiles~~ by said client;

15

inquiring by said client to said server, which is a queried server, for a specific service offered by said server, said client using specific parameters of said service;

determining by said queried server whether it can perform said inquired service;

20

if said server can perform said service, said service performs said service by said server;

if said server cannot perform said service, either said server or said client switches said client to a further server or device connected to said network that is capable of executing said service using said transmitted datafile for the switching.

25

17. (Previously presented) The method for the operation of a network according to claim 16, wherein service offered by said server is executing a print order, and said method further comprising:

5 forwarding, by said server, said print order to another server or directly to a printer device when said server itself cannot execute said print order.

18. (Previously presented) The method for the operation of a network according to claim 16, further comprising the steps of:

10 storing information about said services offered by said server in a databank of said server; and
examining said databank to determine if a service is present for an inquiry by said client.

15 19. (Previously presented) The method for the operation of a network according to claim 16, further comprising:

generating an address of a further server or device for said server
switching said client to said further server or device; and
communicating said address to said client inquiring said server.

20

20. (Currently amended) The method for the operation of a network according to claim 16, further comprising:

installing an interpreter at said server;
interpreting, by said interpreter, language elements executable at said
25 server contained in said datafile;
executing, by said interpreter, said language elements executable at said server; and

Appl. No. 10/009,397
Reply to Office Action of July 16, 2007

executing, by said client, language elements executable at said client
contained in said datafile.